

# Personnel Lift • Vertical Mast Lift • Vertical Lift

## Personnel Lift



AWP40S

QU13

### Specifications

Make	HAULOTTE	HAULOTTE	HAULOTTE	GENIE
Model	QU13AC	QU13DC	QU14DC	AWP40S
Max. Working Height (m)	13.7	13.7	13.7	14.3
Max. Height of Platform (m)	11.7	11.7	11.7	12.3
Safe Working Load (kg)	136	136	136	136
Weight (kg)	455	497	497	472
Power Source	AC230V/Electric	DC12V/Battery	DC12V/Battery	AC220V/Electric
Platform Size (m)	0.68 x 0.66	0.68 x 0.66	0.68 x 0.66	0.69 x 0.66
Length (m)	1.47	1.47	1.47	1.42
Width (m)	0.8	0.8	0.8	0.74
Height-Stowed (m)	1.98	1.98	1.98	2.78
Width-Stabilised (m)	2.34	2.34	2.34	2.06
Length-Stabilised (m)	2.70	2.70	2.70	2.26
Tilt Bar (m)	N/A	N/A	2.24 x 0.8 x 1.98	2.97 x 1.98


## Vertical Mast Lift




### Specifications

Make	SKYJACK
Model	SJ12
Max. Working Height (m)	5.65
Max. Height of Platform (m)	3.65
Safe Working Load (kg)	227
Power Source (V)	Battery
Platform Size (m)	0.69 x 0.65
Length (m)	1.37
Width (m)	0.77
Height-Stowed (m)	1.79
Gradeability (%)	20
Drive Speed (km/h)	0.8 - 4.0
Weight (kg)	864


## Vertical Lift



### Working Range



### Dimensions



### Specifications

Make	HAULOTTE
Model	STAR10
Working Height (m)	10
Platform Height (m)	8
Horizontal Outreach (m)	3
Lift Capacity (kg)	200
Platform Size (m)	0.78 x 0.99
Length (m)	2.7
Width (m)	1
Height-Stowed (m)	1.99
Tailswing (cm)	0
Wheelbase (m)	1.2
Ground Clearance (cm)	10
Driveable At Full Height Up To (m)	8
Drive Speed Proportional (km/h)	0.6 - 4.5
Turning Radius-outside (m)	1.88
Turnable Rotation (°)	345
Vertical Jib Rotation (°)	130 (+70/-60)
Tires-non Marking	16 x 5 x 10.5
Tilt Alarm (°)	3
Gradeability (%)	23
Hydraulic System Capacity	71
Power Source (Amp)	24V - 240
Weight (kg)	2,735